

Analytica Laboratories Limited Ruakura Research Centre 10 Bisley Road Hamilton 3214, New Zealand Ph +64 (07) 974 4740 sales@analytica.co.nz www.analytica.co.nz

# Certificate of Analysis

Wild Honey NZ (2017) Ltd

52 Woods Rd South, Waitete Bay

Coromandel

Attention:

Geoff Gillott 021 069 3378

Phone: Email:

gilloty@hotmail.com

Lab Reference:

23-27023

Submitted by:

Date Received:

12/09/2023

Testing Initiated: Date Completed:

12/09/2023 12/09/2023

Order Number:

Reference:

#### Report Comments

Samples were collected by yourselves (or your agent) and analysed as received at Analytica Laboratories. Samples were in acceptable condition unless otherwise noted on this report.

Specific testing dates are available on request.

### **Results Summary**

#### 3in1 in Honey

| Laboratory ID | Sample ID                | Dihydroxyacetone<br>(DHA) | Methylglyoxal<br>(MG/MGO) | Non-Peroxide Activity* (NPA) | Hydroxymethylfurfural<br>(HMF) |
|---------------|--------------------------|---------------------------|---------------------------|------------------------------|--------------------------------|
|               | Units<br>Reporting Limit | mg/kg<br>40               | mg/kg<br>8                | %w/v phenol eq.<br>1.3       | mg/kg                          |
| 23-27023-1    | WH2023                   | 662                       | 696                       | 18.0                         | 37.5                           |

3in1 in Honey Approver:

Alicia Laing, BSc. Technician

## Method Summary

Determination of Dihydroxyacetone (DHA), Methylglyoxal (MG/MGO) and Hydroxymethylfurfural (HMF) by aqueous extraction, derivatisation, and UPLC (diode array) analysis in accordance with in-house procedures.

NPA

Non-Peroxide Activity (NPA) values are not directly measured by the laboratory, but are calculated from the measured methylglyoxal concentration in the honey according to the requirements of the client. The calculation is based on published data(†) comparing the NPA and methylglyoxal concentration measured in a range of honey samples. These calculated values are not accredited by IANZ and do not imply that the honey is or is not manuka honey. NPA values less than 5 are an estimate based on extrapolation of the relationship between methylglyoxal and NPA

(†) Isolation by HPLC and characterisation of the bioactive fraction of New Zealand manuka (Leptospermum scoparium) honey. C. J. Adams, et al. Carbohydrate Research 343 (2008) 651-659. And, Corrigendum to "Isolation by HPLC and characterization of the bioactive fraction of New Zealand manuka (Leptospermum scoparium) honey" [Carbohydr. Res. 343 (2008) 651]. Carbohydrate Research 344 (2009) 2609. C. J. Adams, et al.